

Neuromonitoring In Otolaryngology And Head And Neck Surgery

Kaohsiung Journal of Medical Sciences (2011) 27, 96–101



available at www.sciencedirect.com

ScienceDirect

journal homepage: http://www.kjms-online.com



ORIGINAL ARTICLE

Electromyographic endotracheal tube placement during thyroid surgery in neuromonitoring of recurrent laryngeal nerve

甲狀腺手術中神經學監測時氣管內管位之影響

Cheng-Jing Tsai^a, Kuang-Yi Tseng^a, Fu-Yuan Wang^a, I-Cheng Lu^{a,b}, Hsun-Mo Wang^c,
Che-Wei Wu^{d,e}, Hui-Ching Chiang^f, Feng-Yu Chiang^{g,h,*}

蔡承靜^a, 曾光毅^a, 王富元^a, 盧奕丞^{a,b}, 王進樞^c, 吳哲維^{d,e}, 姜慧菁^f, 江豐裕^{g,h,*}

^a Department of Anesthesiology, Kaohsiung Medical University Hospital, Kaohsiung Medical University, Kaohsiung, Taiwan

^b Department of Anesthesiology, Faculty of Medicine, College of Medicine, Kaohsiung Medical University, Kaohsiung, Taiwan

^c Department of Otolaryngology, Kaohsiung Municipal Ta-Tung Hospital, Kaohsiung, Taiwan

^d Graduate Institute of Clinical Medicine, Kaohsiung Medical University, Kaohsiung, Taiwan

^e Department of Otolaryngology, Kaohsiung Municipal Hsiao-Kang Hospital, Kaohsiung, Taiwan

^f Department of Nursing, Kaohsiung Medical University Hospital, Kaohsiung Medical University, Kaohsiung, Taiwan

^g Department of Otolaryngology, Kaohsiung Medical University Hospital, Kaohsiung Medical University, Kaohsiung, Taiwan

^h Department of Otolaryngology, Faculty of Medicine, College of Medicine, Kaohsiung Medical University, Kaohsiung, Taiwan

Received 12 July 2010; accepted 25 August 2010
Available online 22 February 2011

KEYWORDS

EMG endotracheal tube;
Endotracheal tube
displacement;
Intraoperative
neuromonitoring;

Abstract Intraoperative neuromonitoring (IONM) is widely used in thyroid surgery. This study aimed to investigate the influence of neck extension on electromyographic (EMG) endotracheal tube displacement and to determine the necessity of routinely checking the final electrode position after the patient had been fully positioned. A consecutive 220 patients undergoing thyroidectomy were enrolled. All patients were intubated with the EMG endotracheal tube under direct laryngoscopy. The electrode position and tube displacement were routinely checked and measured by laryngofiberoscopy before and after patient positioning. The

* Corresponding author. Department of Otolaryngology—Head and Neck Surgery, Kaohsiung Medical University Hospital, No. 100, Tzyou 1st Road, Kaohsiung City 807, Taiwan.
E-mail address: fychiang@kmu.edu.tw (F.-Y. Chiang).

1607-551X/\$36 Copyright © 2011, Elsevier Taiwan LLC. All rights reserved.
doi:10.1016/j.kjms.2010.08.002

Neuromonitoring in Otolaryngology and Head and Neck Surgery: Medicine & Health Science Books @ vincenzopiso.com Neuromonitoring in Otolaryngology and Head and Neck Surgery. Jack M. Kartush and Kenneth R. Bouchard (Eds.). New York: Raven Press (). pp., \$ Intraoperative neuromonitoring (IONM) is a relatively recent advance in electromyography (EMG) applied to otolaryngology-head and neck surgery. Its purpose. PDF On Apr 1, , Jack M. Kartush and others published Neuromonitoring in Otolaryngology and Head and Neck Surgery. Jack M. Kartush and Kenneth R. Book Review: Neuromonitoring in Otolaryngology and Head and Neck Surgery. Show all authors. Dennis G. Pappas, MD. Dennis G. Pappas. Birmingham, Alabama. Electromyographic (EMG) Neuromonitoring in Otolaryngology-Head and Neck Surgery Intraoperative neuromonitoring (IONM) is a relatively recent advance in. Spinal Accessory Nerve Monitoring and Clinical Outcome Results of American Academy of Otolaryngology- Head and Neck Surgery. Position Statement: Intraoperative Nerve Monitoring in Otologic Surgery. American. Academy of Otolaryngology-Head and Neck Surgery (AAO-HNS/F). Question Does the use of intraoperative neuromonitoring (IONM) in the Department of Otolaryngology Head and Neck Surgery of. Arch Otolaryngol Head Neck Surg. Iatrogenic injury to the recurrent laryngeal nerve (RLN) during open neck surgery is the leading cause of vocal cord. Isaacson B, Kileny PR, El-Kashlan H: Intraoperative monitoring and facial nerve . editors: Neuromonitoring in Otolaryngology and Head and Neck Surgery, New York. International Journal of Otolaryngology and Head & Neck Surgery, , 2, Keywords: Monitoring; Intraoperative; Mastoid/Surgery; Parotid. Kartush J, Bouchard K (Eds.), Intraoperative Monitoring in Otolaryngology and Head and Neck Surgery, Raven Press, New York, NY (), pp. Silverstein. Monitoring auditory function during operations to remove acoustic tumors. American Academy of Otolaryngology Head and Neck Surgery Foundation, Inc. Intraoperative neuromonitoring (IONM) is a relatively recent advance in (EMG) applied to otolaryngology-head and neck surgery. Its purp. Drugs & Diseases > Otolaryngology and Facial Plastic Surgery However, although, as stated, intraoperative facial nerve monitoring has .. Use in Head and Neck Surgery Hyperparathyroidism in Otolaryngology and Facial.

[\[PDF\] The Cerrados Of Brazil: Ecology And Natural History Of A Neotropical Savanna](#)

[\[PDF\] Surface Engineering](#)

[\[PDF\] Poets Prose: The Crisis In American Verse](#)

[\[PDF\] The First Review 1978: Student Expository Writing Department Of English And Comparative Literature.](#)

[\[PDF\] A Field Guide To Dinosaurs](#)

[\[PDF\] Greetings From St. Joseph, Michigan](#)

[\[PDF\] Mycologists Handbook: An Introduction To The Principles Of Taxonomy And Nomenclature In The Fungi An](#)